




XT SERIES BLUE 60

High Grade 60 Durometer Blue Fluorosilicone Rubber

Our **XT Series** Fluorosilicone elastomer rubber is formulated for **extreme** applications and has **exceptional** resistance to oil, fuel and solvents as well as **exceptional** resistance to water, sunlight and ozone. XT Series Fluorosilicone offers **high** and **low** temperature tolerance (**-80 - +500 F**).

Our **XT Series** Fluorosilicone rubber has excellent compression set resistance and typically offers many favorable properties and is formulated for extreme applications where most other washers fail to meet the grade.



| Properties | Test Method | Typical Values |
|-----------------------|----------------------|----------------|
| Tensile | ASTM D412 | 900 PSI |
| Elongation | ASTM D412 | 200% |
| Volume Change | 22 hrs - 77 Jet Fuel | 20% |
| Tear Strength - Die B | ASTM D624 | 125 |
| Durometer (Shore A) | ASTM D2240 | 60 +/- 5 |
| Temperature Range | Fahrenheit | -80 to +500 F |
| Color | Visual | Blue |
| Finish | Visual | Smooth |

+/- Standard Tolerances

Primal23 Industrial LLC
SALES@PRIMAL23INDUSTRIAL.COM
 PRIMAL23INDUSTRIAL.COM

The information provided is believed to be true and is based upon information currently available. The above values are typical properties and should be used only as a guide. There are no warranties, either expressed or implied, including the warranty for fitness of use or of merchantability. It is up to the end user to determine whether the material is appropriate for the intended application.